

SERVICE SLIP

WORK ORDER: 33555
 WORK DATE: 10/09/18
 Tuesday

Ridder Pest Control, Inc
 1874 Thunderbird
 Troy, MI 48064
 248-362-0200

Billing
 Address: 100589] 313-577-9426
 Wayne State School of Medicine
 1201 Gorden Scott Hall
 Detroit, MI 48201

Work
 Location: [100590] 313-510-4079
 Wayne State School of Medicine
 Shiffman Medical Library
 320 E Canfield
 Detroit, MI 48201

Type of Inspection: Pest Bed Bug Roaches General Other: _____ Evidence Found? Yes No

Work Date	Time	Target Pest	Technician	Name	Time In
10/09/18		BED BUGS	WS	Walter Stringer	8:30
Purchase Order	Terms	Last Service	Map Code	License#	Time Out
	UPON RECEIPT	09/13/18			9:00

Service	Description	Price
---------	-------------	-------

BED BUGS Bed Bug Service

PESTICIDE / PRODUCT	%	AMOUNT	EPA REG. NO.	PESTICIDE / PRODUCT	%	AMOUNT	EPA REG. NO.
A. Fast Cap Esfenvalerate/Prallethrin/pip-butox	16%		1021-2574	L. Phantom Pressurized Insecticide Chlorfenapyr	0.05%		7969-285
B. Talstar One / Bifenthrin	0.06%		279-3206	M. GENTROL (S)-Hydroprene	9%		2724-351
C. Talstar PL / Bifenthrin Granular	0.2%		279-3168	N. Gentrol Aerosol / S-Hydroprene	0.36%		2724-484
D. Demand® CS Lambda-cyhalothrin1	0.03%		100-1066	O. Gentrol Point Source	90.6%		2724-469
E. Temprid SC Imidacloprid/Cyfluthrin	0.27%		432-1483	P. DuPont Advion Indoxacarb Roach	0.6%		352-652
F. Temprid Ready Spray Imidacloprid/Cyfluthrin	0.75%		432-1527	Q. Advance® 360A Dual Choice Abamectin B	0.011%		499-496
G. Maxforce FC Fipronil Bait Stations	0.05%		432-1257	R. DuPont Advion Indoxacarb Ant Gel	0.05%		352-746
H. Maxforce Impact Clothianidin	1.0%		432-1531	S. Final Soft Bait Brodifacoum	0.0025%		12455-139
I. CB-80 Pyrethrins	0.50%		279-3393	T. Fastrac A.I. Bromethalin Place Pac	0.010%		12455-97
J. Ditrac trac powder Diphacinone	0.005%		12455-56	U. <input type="checkbox"/> Insect Monitors <input type="checkbox"/> Glue Boards			
K. Termidor SC Fipronil	0.06%		7969-210	V. <input type="checkbox"/> Bait Stations <input type="checkbox"/> Rat <input type="checkbox"/> Mouse			

LOCATION OF TREATMENT: Letters correspond to line letters above

<input type="checkbox"/> Kitchen	<input type="checkbox"/> Bathroom	<input type="checkbox"/> Living Room	<input type="checkbox"/> Dining Room	<input type="checkbox"/> FR / Den
<input type="checkbox"/> Bedroom	<input type="checkbox"/> Attic	<input type="checkbox"/> Garage	<input type="checkbox"/> Lounges	<input type="checkbox"/> Basement
<input type="checkbox"/> Bar	<input type="checkbox"/> Office	<input type="checkbox"/> Store Room	<input type="checkbox"/> Utility Room	<input type="checkbox"/> Dumpster
<input type="checkbox"/> Common Areas	<input type="checkbox"/> Crawlspace	<input type="checkbox"/> Store	<input type="checkbox"/> Other	

SITE OF TREATMENT: Letters correspond to line letters above

<input type="checkbox"/> Kit. Equipment	<input type="checkbox"/> Baseboard	<input type="checkbox"/> Wall Voids	<input type="checkbox"/> Sill Area	<input type="checkbox"/> Carpeting
<input type="checkbox"/> Cabinets	<input type="checkbox"/> Eaves	<input type="checkbox"/> Outside Bedding	<input type="checkbox"/> Outside Perimeter	<input type="checkbox"/> Furniture
<input type="checkbox"/> Drains	<input type="checkbox"/> Other	<input type="checkbox"/> Washer/Dryer	<input type="checkbox"/> Other	

METHOD OF TREATMENT: Letters correspond to line letters above

<input type="checkbox"/> Spot Treat	<input type="checkbox"/> C&C Aerosol	<input type="checkbox"/> Fan Spray	<input type="checkbox"/> Broadcast	<input type="checkbox"/> Granulate
<input type="checkbox"/> Dust Voids	<input type="checkbox"/> C&C Bait	<input type="checkbox"/> Mouse Stations	<input type="checkbox"/> Rat Stations	<input type="checkbox"/> Ant Stations
<input type="checkbox"/> Roach Stations		<input type="checkbox"/> Ant Bait	<input type="checkbox"/> IGR Disk	<input type="checkbox"/> Monitors

* Charges outstanding over 30 days from the date of service are subject to a 1.5% FINANCE CHARGE PER MONTH or annual percentage rate of 18%.
 Customer agrees to pay accrued expenses in the event of collection.

I hereby acknowledge the satisfactory completion of all services rendered, and agree to pay the cost of services as specified above. X

Barber 10-9-18
 CUSTOMER SIGNATURE

Risk / Benefit Info Sticker

RIDDER

PEST CONTROL LLC.

1874 Thunderbird Road Troy, MI 48084 Tel 248-362-0200 fax 248-629-6330

BED BUG INSPECTION REPORT

Inspection Address

[]
Wayne State University
Shiffman Library
320 E. Canfield
Detroit, MI 48201

Date 10-9-18
Tech Walter Stringer
K-9 N/A

Visual Findings	Scent Detection	___ Skins	___ Bed Bug Evidence	___ 4th Stage
Yes	Yes	___ Eggs	___ Live Bed Bugs	___ 5th Stage
<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> No	___ 2nd Stage	___ Dead Bed Bugs	___ Adults
		___ 3rd Stage	___ Droppings	___

[] Shiffman Library

- | | | | |
|---|----------------------|----------------|----------------------------|
| ___ Computer Lab #112 | ___ Office Room #110 | ___ Cafe' Room | ___ Large Office Area #116 |
| ___ Stapleton Room #111 | ___ Office Room #109 | ___ Room #102 | ___ Room #117 |
| ___ Rooms #111.3, 111.2, 111.1 | ___ Office Room #108 | ___ Room #103 | ___ Room #118 |
| <input checked="" type="checkbox"/> Atrium Lounge Furniture | ___ Office Room #100 | ___ Room #113 | ___ Room # |
| ___ Public Computer Area | ___ Front Desk Area | ___ Room #114 | ___ Room # |

- | | |
|---|--|
| <input checked="" type="checkbox"/> Large Study Room #115 | <input checked="" type="checkbox"/> Large Study Room #115 |
| <input checked="" type="checkbox"/> Six Boomerang Tables & Chairs Left | <input checked="" type="checkbox"/> Four Large Study Tables & Chairs Center |
| <input checked="" type="checkbox"/> Six Boomerang Tables & Chairs Right | <input checked="" type="checkbox"/> Four Large Study Tables & Chairs Left |
| <input checked="" type="checkbox"/> Six Boomerang Tables & Chairs Center | <input checked="" type="checkbox"/> Four Large Study Tables & Chairs Right |
| <input checked="" type="checkbox"/> Six Boomerang Tables & Chairs Left Rear | <input checked="" type="checkbox"/> Four Large Study Tables & Chairs Center Rear |
| <input checked="" type="checkbox"/> Six Boomerang Tables & Chairs Right Rear | <input checked="" type="checkbox"/> 16 Study Tables & Chairs in Front of Room #115.1 |
| <input checked="" type="checkbox"/> Four Tables & Chairs in Front of #123 & 124 | <input checked="" type="checkbox"/> 18 Study Tables & Chairs in Front of Rear Rest Rooms |

___ Study Rooms Tables & Chairs 119, 120.1, 120.2, 120.3, 120.4, 120.5, 120.6, 120.7, 120.8, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 138, Large Room 139

Recommend Chemical Bed Bug Treatment ___ YES NO
 Recommend Thermal Bed Bug Treatment ___ YES NO
 Was Management Notified YES ___ NO
 Is This A Problem Unit To Treat ___ YES NO

REMARKS No signs of Bed Bug activity

Tech Walter Stringer Date 10-9-18 Customer Barber Date 10-9-18